


THÔNG SỐ KỸ THUẬT

MÁY LU RUNG

BW 211 DH-5, BW 211 PDH-5



Kích thước mm

	A	B	D	H	H2	K	L	O1	O2	S	W
BW 211 DH-5	2975	2270	1500	2260	2990	490	5870	70	70	25	2130
BW 211 PDH-5	2975	2270	1480	2260	2990	490	5870	70	70	25	2130

Trọng lượng		BOMAG BW 211 DH-5	BOMAGvBW 211 PDH-5
Trọng lượng tổng	kg	13.870	13.900
Trọng lượng hoạt động (CECE)	kg	10.890	12.560
Tải trọng lên trống (CECE)	kg	5.880	7.420
Tải trọng lên bánh sau (CECE)	kg	5.010	5.140
Tải trọng tuyến tính	kg/cm	27,6	
Kích thước			
Chiều rộng chống	mm	2.130	2.130
Bán kính quay trong	mm	3.680	3.680
Hoạt động			
Tốc độ	km/h	0- 12,0	0- 12,0
Khả năng lwo dốc lớn nhất	%	60/58	62/60
Lái			
Động cơ		Deutz	Deutz
Kiểu		TCD 3.6 L4	TCD 3.6 L4
Tiêu chuẩn khí thải		Stage IV / TIER4f	Stage IV / TIER4f
Sử lý khí thải		DOC+SCR	DOC+SCR
Làm mát		Liquid	Liquid
Số lượng xi lanh		4	4
Công suất (ISO 3046)	kW	95,0	95,0
Công suất (SAE J 1995)	hp	128,0	128,0
Tốc độ	min-1	2.000	2.000
Nhiên liệu		Diesel	Diesel
Điện áp	V	12	12
Hệ thống lái		hydrost.	hydrost.
Trống điều khiển		standard	standard
Trống và lốp			
Số lượng vấu			150
Diện tích vấu	cm2		137
Chiều cao vấu	mm		100
Cỡ lốp		23.1-26 12PR	23.1-26 12PR
Phanh			
Phanh chính		hydrost.	hydrost.
Phanh đỗ		hydromec.	hydromec.
Lái			
Hệ thống lái		oscil.artic.	oscil.artic.
Kiểu lái		hydrost.	hydrost.
Góc lái	grad	35/12	35/12
Làm việc			
Kiểu lái		hydrost.	hydrost.
Tần số	Hz	30/34	30/34
Biên độ rung	mm	1,90/1,00	1,70/0,90
Lực rung	kN	240/162	285/194
Lực rung	t	24,5/16,5	29,1/19,8
Dung tích bình dầu			
Diesel	l	220,0	220,0

Standard Equipment

- ☒ BOMAG ECOMODE
- ☒ Double pump system for travel drive
- ☒ No-Spin differential lock
- ☒ Rear axle with twin spring accumulator brakes
- ☒ Hydrostatic travel and vibration drive
- ☒ Hydrostatic articulated steering
- ☒ Articulated joint lock
- ☒ Seat with arm rest and adj. for position and height
- ☒ Sliding window
- ☒ Battery disconnect switch
- ☒ Single lever control for travel and vibration
- ☒ Warning, information and operation displays with LCD
- ☒ Loading mode
- ☒ Emergency STOP
- ☒ Working lights front / rear
- ☒ Back-up alarm
- ☒ Noise insulation
- ☒ 2 Scrapers
- ☒ Warning horn
- ☒ Tractor tires (PDH)

Optional Equipment

- ☐ * ROPS/FOPS cabin with seat belts
 - Sliding window
- ☐ ROPS/FOPS with safety belt
- ☐ Rearview camera
- ☐ Air condition
- ☐ Radio (Bluetooth)
- ☐ Pre start cabin heating
- ☐ Comfort package: Adjustable seat and adjustable steering column
- ☐ Rotary beacon
- ☐ Indicator and hazard lights
- ☐ BOMAG ECOSTOP
- ☐ ECONOMIZER
- ☐ TERRAMETER
- ☐ BOMAG TELEMATIC POWER
- ☐ BCM 05 Documentation system
- ☐ Special painting
- ☐ Padfoot segment kit (DH)
- ☐ Environmentally compliant hydraulic oil
- ☐ Measuring- and machine data interface for third-party suppliers
- ☐ Blade
- ☐ LED Working lights (Cabin)
- ☐ Reversing alarm buzzer with broad band audio

* Standard delivery with CE conformity
(valid within European Union)

